



USB 3.0 Type-C&A to SD & microSD

Card Reader

UA430D



SD UHS-I
200 MB/s



Dual-Card
Reading



Plug & Play

Highlights




SD/microSD

UHS-I 200 MB/s
Dual-card Reading



USB Type-C&A

Flexible Connector



Plug & Play

For Various Operating
Systems



Compact Design

Enhanced Portability



Scratch Resistant

Aluminum Alloy Case

Specifications

Hardware

- **Interface:**
 - 1× microSD (TF) Card slot
 - 1× SD card slot
 - * Supports UHS-I with theoretical transfer rates up to 200 MB/s†
- **Connector:**
 - 1× USB 3.0 Type-C
 - 1× USB 3.0 Type-A
- **Connector Input:**
 - 5V/0.3A

Physical

- **Dimension (W×D×H):**
 - 2.95 × 0.9 × 0.37 in
 - (75 × 22.9 × 9.3 mm)
- **Case:**
 - Aluminum Alloy Case
- **Package Contents:**
 - 1× UA430D
 - 1× Quick Installation Guide

Others

- **Supported Systems:**
 - Plug and Play on Windows, iOS, macOS, iPadOS, ChromeOS, Linux OS, Android, etc.
- **Supported Maximum Card Size**
 - 2 TB or less
- **Certification:** CE, FCC, RoHS, BSMI
- **Environment:**
 - Operating Temperature: 0°C~40°C (32°F~104°F)
 - Operating Humidity: 10%~90% non-condensing
 - Storage Humidity: 5%~90% non-condensing



For more information, please visit
https://www.tp-link.com/products/details/?model=UA430D_V1
or scan the QR code left

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
Specifications are subject to change without notice. Other brands and product names are trademarks or registered trademarks of their respective holders.
†Achieve up to 200 MB/s read speeds with cutting-edge technology, surpassing UHS-I 104 MB/s. This requires compatible devices capable of such speeds. Actual transfer rates are not guaranteed and may vary due to device conditions and environmental factors.
©2025 TP-Link