


# USB3.0 Type-C to SD & microSD 4.0 Adapter

Card Reader









SD UHS-II 312MB/s



## Highlights







UHS-II 312MB/s Dual-card Reading



USB 3.0

5 Gbps Super Speed Data Transfer



Plug & Play

For Various Operating Systems



**Light & Portable** 

Miniature Design Brings Infinite Convenience



**Scratch Resistant** 

Aluminum Alloy Case



**Durable Design** 

**Braided Cable** 

## Specifications

#### Hardware

· Interface:

1× microSD (TF) Card slot

1× SD card slot

\* Supports UHS-II with theoretical transfer rates up to 312 MB/s

· Connector:

5V/0.3A

1× USB 3.0 Type-C

· Connector Input:

### Physical

· Dimension (W×D×H):

 $2.14 \times 1.35 \times 0.45$  in (54.4 × 34.2 × 11.5 mm)

· Case:

Aluminum Alloy Case

· Cable:

150 mm (5.9 in) Braided Cable

· Package Contents:

1× UA440C

1× Quick Installation Guide

#### Others

Supported Systems:

Mac OS, Windows, iPadOS, iOS, Android, Linux OS, and Chrome OS

Supported Maximum Card Size

2 TB or less

· Certification: CE, FCC, RoHS, BSMI

**Environment:** 

Operating Temperature: 0°C~40°C (32°F~104°F)
Operating Humidity: 10%~90% non-condensing
Storage Humidity: 5%~90% non-condensing



©2024 TP-Link

For more information, please visit

https://www.tp-link.com/products/details/?model=UA440C V1

or scan the QR code left

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Specifications are subject to change without notice. All the brands and product names are trademarks or registered trademarks of their respective holders.

†Port transmission specifications are based on testing results conducted by the TP-Link laboratory. Actual transfer rate is not guaranteed and will vary as a result of device conditions and environmental factors.